BASIC GUIDELINES
TO
PHARMACISTS

TELANGANA PHARMACY COUNCIL
HYDERABAD

LEGAL POINTS TO BE REMEMBERED AND TO BE FOLLOWED BY PHARMACISTS.

DRUGS AND COSMETICS RULES 1945

I. Rule 65 (2):-

All Prescription Drugs prescribed by allopathic doctor to be sold under personal supervision of a Pharmacist.

II. (i) Rule 65 (3) (1) and 65 (4) (1):-

Maintain Prescription Registers for Schedule 'H' Drugs and Schedule 'C' Drugs even though you maintain the sales bill book with details like Serial Number, Name of the Drug, Batch Number, Date of Sales, Name and Address of the patient etc.

(ii) Rule 65 (3) (2) and 65 (4) (2):-

An option to maintain all particulars in bill book, and a request for exemption from writing the registers can be made with the Licensing Authority to get an Exemption Certificate.

III. Rule 65 (4) (3): (Sales Bills):-

(i) The sale of drugs to be done only against a cash or credit bill.

The sales bill should contain:

a. Name, address and sale license No. of the dealer.
b. Serial No. of the Bill and Date.
c. Name of the Drug.
d. Batch Number.
e. Quantity.
f. Name of Physician and Name of Patient.

(ii) Carton copies of the sales bill to be maintained for a period of two years.

IV. Rule 65 (4) (4): (Purchase Bills):-

(i) Purchase bills to be maintained for a period of two (2) years.

Purchase bills should contain:

a. The date of Purchase.
b. The Name and Address of supplier and License No.
c. Name of Drug, Quantity and Batch No.
d. The name of the Manufacturer of Drug.

(ii) Purchase bills to be given Serial No. and to be maintained in a chronological order.

V. Rule 65 (6):-

Produce all records and registers to the Inspector on demand.

VI. Rule 65 (7):-

Keep all the records and registers up to 2 years from the date of entry.

a. **VII. <u>Rule 65 (9):-</u>**

a. schedule 'H' and 'X' Drugs to be sold on Prescription of allopathic doctor only. Two prescriptions are required for dispensing the Schedule 'X' Drugs and one copy to be retained by the chemist for 2 years.

b. Schedule 'H' and 'X' Drugs to be supplied to an allopathic doctor or Hospital against a signed order only and signed order to be prescribed for years.

Here two (2) questions will arise

a. What is a Signed Order?

b. How much Quantity you can supply?

A signed Order is an order form or a letter of written order like

E.g. To
M/s. Rama Medicals,
Ananthapuramu. Date:

Sir,

Please supply the following drugs for the purpose of dispensing to my own Patients.

1.
2.
3.
4.

Signature of Doctor.

VIII. <u>Rule 65 (11):-</u>

Schedule 'H' and Schedule 'X' Drugs should not be dispenses more than once unless the doctor mentions on the Prescription.

IX. <u>Rule 65 (11-A):-</u>

Substitution cannot be done even though the same ingredient is there without consent of the doctor in case of Schedule 'H' and Schedule 'X' Drugs.

X. <u>Rule 65 (12):-</u>

a. Schedule 'X' Drugs to be kept under lock and key.

b. Keep separately and only responsible person should have access.

XI. <u>Rule 65 (15) (b):-</u>

Display the name board of the shop with description 'Chemists and Druggists' who have employed the services of Pharmacist.

XII. <u>Rule 65 (16):-</u>

Maintain an inspection book preferably in Form-35 issued by the department.

XIV. Rule 65 (17):-

i.Do not stock expired drugs along with the salable drugs.

Ii.Keep them in the cartons separately with the words 'Not for Sale'.

XV. Rule 65 (18):-

Do not keep the drugs labeled as 'Physician Sample Not for Sale' or 'Government supply Not for Sale'

XVI. Rule 65 (19):-

When you are dispensing loose tablets/capsules/ophthalmic applicaps, it should be done in presence of Pharmacist only in an envelope or wrapper with a. name of drug, b. quantity, c. name and address of the dealer in an hygienic environment.

XVII. Rule 65 (20):-

Veterinary drugs to be kept separately in a cupboard with the words, 'Not for Human Use - for treatment of animals only'.

XVIII. Rule 65 (21):-

While dispensing the Schedule 'X' Drugs, maintain register withal particulars like date of transaction, quantity received, name of supplier, name of drug, quantity sold, batch number, name of patient etc.

XVIII. CONDITIONS OF LICENSE: Rule 61 (1):-

i. Display the license in a prominent place open to the public in the shop.

ii. Purchase the drugs only from a licensed dealer or licensed manufacturer under a valid and genuine bill.

iii. Do not supply the drugs to the unlicensed premises.

iv. Inform to the Drugs Inspector or Assistant Director, if any change of Constitution or Partnership takes place, within (3) months from the date of change.

v. The sale of drugs to be done under the personal supervision of a Registered Pharmacist (R.P.) only.

GUIDELINES TO RETAIL CHEMISTS

I. DISPENSING OF DRUGS:-

1. Pharmacist/Chemist should verify the legality and genuineness of a Prescription before dispensing it and verify the qualification of a doctor who prescribed the drugs.
2. RMP - Registered Medical Practitioner having degree like MBBS/BDS/BVSC only.
   RMP - Rural Medical Practitioner.
   PMP - Private Medical Practitioner.
   BAMS- Bachelor of Ayurvedic Medicine and Surgery
   BHMS- Bachelor of Homeopathic Medicine and Surgery.

3. Cross prescribing is prohibited as per Supreme Court Oder.
4. Cross prescribing means a Medical Practitioner studied in one system of medicine and prescribing medicines from another system of medicine.
5. Check for the doctor's full name, qualification and Registration Number and Phone number.
6. Check for the Patient's full name, age, weight, sex like Male/Female (Address and Phone No. if any).
7. If it is a Veterinary Prescription, the name of animal owner and type of animal, and weight to be written on the Prescription.
8. Check for the name of medicine (generic/ brand), strength, dosage form like Tablets/ Capsules/Syrup/Injection/Powder etc., dose and total quantity; date etc., and doctor's signature at the end of Prescription.
9. Do not refill the prescription, unless the doctor gives refill information.
10. Put the Stamp 'Dispensed' on the Prescription so as to avoid re-use of Prescription.
11. Drugs are of two categories:-
    i. Prescription drugs: -
        a. Schedule 'H' Drugs.
        b. Schedule 'X' Drugs c NDPS Drugs.
    ii. Non-Prescription Drugs: -
        a. Schedule 'K' (House Hold Remedies) Drugs.
        b. OTC (Over the Counter Drugs).

12. Schedule 'H' Drugs are potent drugs about 536 drugs in number to be sold on prescription of doctor and to be sold against a proper sale bill in the supervision of Pharmacist.

13. Schedule 'X' drugs are about 15 drugs in number like barbital's and amphetamines to be sold on prescription of a doctor in presence of Pharmacist,Stamp and retain copy of prescription, maintain record of purchase and sales and preserve for a period of 2 years and to store under lock and key.

14. NDPS drugs are Narcotic Drugs and Psychotropic Substances like Pethidine/ Morphine or Paracodine etc., are Narcotic Drugs. Psychotropic Drugs are like Alprazolam, Diazapam etc., to be stored under lock and key and to be sold in presence of Pharmacist against the sale bill only. For sale of Narcotic drugs one has to obtain special license from the department.

15.Schedule K (House Hold Remedies) drugs are like Aspirin Tablets, Paracetamol Tablets, Analgesic Balms, antacids, Gripe Water, Inhalers etc., are to be sold under 20A License without a Pharmacist in a village where there is no medical shop.

16...OTC drugs are over the Counter drugs which are not included in any Schedules.

17. OTC drugs can be sold without prescription of a doctor and without a pharmacist. E.g., OTC drugs are

Paracetamol 500 mg. Tabs. Calamine Lotion, Clotrimazole Cream, Anacin Tabs., etc.

18. Do not keep the drugs labeled as 'Physician Sample Not for Sale' and 'Government Supply Not for Sale' in the shop.

19. Retailer should maintain Prescription Register for the sale of Schedule 'C' and Schedule 'H' Drugs.

20. Retailer can make use of option to maintain a Cash/Credit bill book and can seek Exemption Certificate from the Licensing Authority, provided a separate application is made with a request and with an undertaking to maintain all the particulars in bill book only.

21. Display the license in a prominent place visible to the public.

22. Do not sell prescription drugs in the absence of Pharmacist.

23. Display the Registered Pharmacist Certificate in the shop visible to the public and R.P. certificate to be renewed for every 5 years.

24. As per the drug rules, Door delivery and telephonic orders cannot be entertained for the supply of prescription drugs.

25. Non-Prescription drugs can be sold on telephonic order and can be delivered at the doorstep.

26. Drugs like Sildenafil Citrate and Tadalfil to be sold on prescription of 'Venerologist/ Dermatologist/Urologist/Psychiatrist/Endocrinologist only but not on prescription MBBS/MD (General Medicine) or M.S. Doctor. Purchase and Sales to be tallied on verification.

II. <u>PROCUREMENT OF DRUGS</u>:-

1. Do not fall prey to hawkers and brokers as the attractive schemes are offered.
2. Procure from genuine dealers against a proper purchase bill so as to avoid spurious drugs.
3. Better conduct vendor audit before placing an order.
4. Check whether stocks are received as per the order list.
5. Check for any defective medicines are received.
6. Check whether the cold chain is maintained for thermolabile/cold storage drugs.
7. Check for any changes in the labeling or any color of ingredients is changed.
8. If any changes are observed, inform to the concerned Drugs Inspector, and also bring to the notice of wholesaler or supplier.
9. Maintain a Stock Return Register for defective drugs/N.S.Q. drugs return/Banned Drugs Return etc.,
10. Computerization of procurement is always advisable.
11. Follow the principle of 'No bill No transaction' to avoid majority of the problems

III. <u>STORAGE OF DRUGS:-</u>

i. Observe the labeling condition of the each and every drug.

ii. If mentioned as store under a cool Place, that means store between 10 Degree C and 25 Degree C.

iii. If mentioned as store under a cold place, that means store at temperature not exceeding 8 Degree C.

iv. Capsules to be stored at temperature not exceeding 30 Degree C.

v. If mentioned as store at room temperature, that means temperature prevailing in that area, not exceeding 30 Degree C.

vi. Do not freeze means, not to be stored in the freezer chamber.

vii. Protect from moisture means, store at Relative Humidity (RH) less than 60% i.e., at normal room temperature.

viii. Protect from light means, store at light resistant cupboard/drawer and to avoid direct Sunlight exposure.

ix. Do not keep food items in the fridge so as to avoid the contamination of microorganisms.

x. Provide clean environment in the premises as well as in the fridge.

xi. If any damaged/poor quality/fungus/ foreign particles are observed in the drugs, inform to the Drugs Inspector and also to the Supplier. Keep them aside until the clarification is received from the Company.

xii. Poor storage condition will lead to drug degradation/ instability.

xiii. Computerization of drugs purchase is recommended for better monitoring of expiry dates.

xiv. Better follow FIFO system i.e, First in First Out so as to avoid expiry of drugs.

xv. Periodical checking is recommended to avoid the expiry of drugs.

Xvi. All TT's, Vaccines and insulins to be stored at 2 to 8 Degree C only.

xvii. Medicines are different from other consumer products. Store them appropriately.

xviii. Provide the storage facility like fridge/walk-in-cooler/cold room as per the requirement/demand.

xix. Provide Power back-up facility for continuous storage of drugs at the required temperature.

xx. Do not switch off the fridge, while closing the shop.

xxi. Dispatch the thermolabile drugs in thermocol boxes with ice packs.

IV. RATIONAL USE OF DRUGS: -

Distribute the pamphlets and display the banners containing the following Precautions to the consumers before use of drugs.

1. Avoid self-medication.
2. Approach qualified doctor for proper treatment.
3. Purchase medicines on doctor's prescription from licensed shop and demand for the bill as it helps in future claims.
4. Observe the date of expiry before leaving the counter.
5. Observe the storage conditions in case of refrigerated drugs like vaccines, insulins etc.,
6. Use drugs as advised by the Doctor, Pharmacist.
7. Keep all the drugs out of reach of the children.
8. Maintain proper storage conditions while stocking drugs in your house.
9. Use eye drops within one month of opening the bottle.
10. Shake well before use for all suspensions.
11. Use boiled and cooled water for reconstituting the dry syrup.
12. Immediately stop usage of drugs on event of reaction and consult your doctor.
13. Use complete course as prescribed by the Doctor.
14. Destroy all the date expired drugs.
15. Avoid Alcohol/Grape fruit juice during medication.
16. A healthy person can donate blood up to a maximum of four times a year Encourage blood donation.
17. In case of any complaint contact your nearest Drugs Inspector.

V. <u>GENERAL INSTRUCTIONS</u>:-

1. Check for expiry of drugs for every 1 or 2 or 3 moths regularly in the Shop Premises.
2. Check for expiry before dispensing of drugs also.
3. Keep the premises of the shop clean and neat at at all the times. Cleanliness is the next to Godliness.
4. Keep the regurgitation also cleaned at regular intervals i.e., weekly once or once in a month.
5. Keep the shelves clean using a clean cloth for every 2 - weeks.
6. Computerized Sales Bill is preferable than the manual billing.
7. Give the original bill to the customer duly signed by the Pharmacist and preserve the carbon copy for a period of 2 years.

8. While dispensing the loose tablets, capsules or ophthalmic applicaps, your hands should be clean as you have to count them. Preferably use hand gloves and counter plates and dispense the drugs in paper pouches.
9. Always greet the Patient/Consumer with a smile and explain how to use medicines or medicated devices.
10. Maintain a designated area/cupboard or shelf for the storage of expired goods and label them 'Expired goods Not for Sale'.
11. Do not mix the expired drugs along with the salable drugs.
12. Return the expired goods to the stockist within the specified period or destroy them by burning or by burying.
13. Wear a clean and neat apron during working hours in the shop. It will mark the professional dignity.
14. Wash hands with soap while entering into the shop.
15. Do not wipe hands/face to the apron.
16. Maintain Personal Cleanliness at all times.
17. When you receive the stock from the wholesaler, check the stock item wise against the invoice for correctness of the name, strength and expiry date and the batch number. If any discrepancy found, inform the supplier immediately.

VI.<u>CONDITIONS OF LICENCE: RULE 61(1):-</u>

i. Display the license in a prominent place open to the public in the shop.
ii. Purchase the drugs only from a licensed dealer or licensed manufacture under a valid and genuine bill.
iii. Do not supply the drugs to the unlicensed premises.
iv. Inform to the Drugs Inspector pr Assistant Director, if any change of Constitution or Partnership takes place, within (3) months from the date of change.
v. The sale of drugs to be done under the personal supervision of a Registered Pharmacist (R.P) only.

I.<u>OFFENCES & PUNISHMENTS UNDER Drugs Act & Rules:-</u>

a. Any Contravention of conditions of license in an offence & punishable u/s 27(d) Drugs

Rules, 1945 is compoundable offence and fine will be imposed based on approval of Telangana Government Authority.

b.Penalty for sale of Adulterated/spurious drugs which can cause death/grievous

Hurt/harm on the body shall be arrested and punishable with life imprisonment u/s 27 (a) of Drugs Rules, 1945.

c. Stocking or sale of Drugs without drugs license punishable u/s 27 (b) (ii) of drugs

Rules, 1945 up to 5 years imprisonment and fine not less than one lakh rupees.

II. OFFENCES & PUNISHMENTS UNDER Pharmacy Act 1948:-

i. **U/s 26 A**: If any person willfully obstructs Pharmacy Inspector in the exercise of powers, shall be liable to penalty which may extend to 1 lakh Rupees.

ii. **U/s 41(1):** If any person falsely claiming to be registered Pharmacist, shall be punishable on first conviction with fine which may extend to 1 lakh Rupees and on subsequent conviction with imprisoriment which may extend to 3 months or with fine not exceeding 2 lakh rupees or with both.

iii. **U/s 42(2):** In case of dispensing by unregistered persons whoever contravenes the provisions shall be punishable imprisonment which may extend to 3 months or with fine which may extend to 2 lakh rupees or with both. If penalty not paid, it may be recovered as an arrear of land revenue.

iv. **U/s 43(1):** If any person whose name has been removed from the register fails to surrender his certificate of registration, he shall be punishable with fine which may extend to fifty (50) rupees.

v. **U/s 34(2):** Where a renewal fee is not paid by the due date, the Registrar shall remove the name of the defaulter from the register.

vi. **U/s 36:** The Executive Committee may order that the name of registered Pharmacist shall be removed from the register on account of misrepresentation or suppression of material fact or convicted of any offence or infamous conduct or offence under Drugs and cosmetics Act etc.

III.OFFENCES & PUNISHMENTS Under The Pharmacy Practice Regulations, 2015:

i. **U/r 4.2:** For Renewal of Registration, the Pharmacist Shall attend minimum 2 refresher courses in Pharmacy of minimum one-day duration each in a span of 5 years organized by one of the following body.

   a. Pharmacy Council of India (PCI), New Delhi.

   b .Telangana State Pharmacy Council(TGPC).

   c.Central Government or Telangana State Government

   d.Professional bodies recognized by the Council such as Indian Pharmaceutical Association (IPA) and Indian Pharmacy Graduates Association (IPGA) etc.

ii. **U/r 12.1:** Soliciting of patients directly or indirectly by a registered Pharmacist is unethical and the registered Pharmacist shall not advertise his name.

iii. **U/r 12.2:** A Registered Pharmacist shall not give or offer commission or bonus for sale or dispensing of medicines and shall not rebate or refund of any fee for dispensing or sale of medicines.

iv. **U/r 13:** A Registered Pharmacist shall constitute professional misconduct liable for disciplinary action for violation of any of the regulations formed under the Pharmacy Act.

v. **U/r 14:** if the registered Pharmacist is found to be guilty of committing professional misconduct, the PCI or TGPC may award such punishment as deemed necessary or

may direct the removal altogether or for a specified period from the register. Deletion from the register shall be widely publicized in local press as well as in the publication of different Pharmacy Associations/so cities/bodies.

[**SCHEDULE H**]

(See rules 65 and 97)

PRESCRIPTION DRUGS

1. Abacavir
2. Abciximab
3. Acamprosate Calcium
4. Acebutol Hydrochloride
5. Aclarubicin
6. Albendazole
7. Alclometasone Dipropionate
8. Actilyse
9. Acyclovir
10. Adenosine
11. Adrenocorticotrophic Hormone (Acth)
12. Alendronate Sodium
13. Aliopurinol
14. Alphachymotrypsin
15. [1109][***]
16. Alprostadil
17. Amantadine Hydrochloride
18. Amifostine
19. Amikacin Sulphate
20. Amiloride Hydrochloride
21. Aminepline
22. Aminoglu tethimide
23. Aminosalicylic Acid
24. Amiodarone Hydrochloride
25. Amitriptyline

26. Amlodipine Besylate
27. Amoscanate
28. Amoxopine
29. Amrinone Lactate
30. Analgin
31. Androgenic Anabolic, Oestrogenic & Progestational Substances
32. Antibiotics
33. Apraclonidine
34. Aprotinin
35. Organic Compound of Arsenic
36. Arteether
37. Artemether
38. Artesunate
39. Articaine Hydrochloride
40. Atenolol
41. Atracurium Besylate Injection
42. Atorvastatin
43. Auranofin
44. Azathioprine
45. Aztreonam
46. Bacampicillin
47. Baclofen
48. Balsalazide
49. Bambuterol
50. Barbituric Acid
51. Basiliximab
52. Benazepril Hydrochloride
53. Benidipine Hydrochloride
54. Benserazide Hydrochloride
55. Betahistine Dihydrochloride
56. Bethanidine Sulphate
57. Bezafibrate
58. Bicalutamide
59. Biclotymol
60. Bifonazole
61. Bimatoprost
62. Biperiden Hydrochloride
63. Biphenyl Acetic Acid
64. Bitoscanate
65. Bleomycin
66. Primonidine Tartrate
67. Bromhexine Hydrochloride
68. Bromocriptine Mesylate

69. Budesomde
70. Bulaquine
71. Bupivacaine Hydrochloride
72. Bupropion
73. Buspirone
74. Butenafine Hydrochloride
75. Butorphanol Tartrate
76. Cabergoline
77. Calciumdobesilate
78. Candesartan
79. Capecitabine
80. Captopril
81. Carbidopa
82. Carbocisteine
83. Carboplatin
84. Carboquone
85. Carisoprodol
86. L-Camitine
87. Carteolol Hydrochloride
88. Carvedilol
89. Cefadroxyl
90. Cefatoxime Sodium
91. Cefazolin Sodium
92. [1110][****
93. ****
94. ****
95. ****
96. ****
97. ****
98. ****]
99. Cefuroxime
100. Celecoxib
101. Centchroman
102. Centbutindole
103. Centpropazine
104. Cetirizine Hydrochloride
105. [1111][***]
106. Chlormezanone
107. [1112][***]
108. Chlorpromazine
109. Chlorzoxazone
no. Ciclopirox Olamine
111. Cimetidine
112. Cinnarizine
138. Daclizumab
139. Danazole
140. Dapsone
141. Desloratadine
142. Desogestrol
143. Dexrazoxane
144. Dextranomer
145. [1111][***]
146. Dextropropoxyphene
147. [1111][***]
148. Diazoxide
149. Diclofenac Sodium/Potassium/Acid
150. Dicyclomin Hydrochloride
151. Didanosine
152. Digoxine
153. Dilazep Hydrochloride
154. Diltiazem

113. Ciprofloxacin Hydrochloride Monohydrate / Lactate
114. Cisplatin
115. Citalopram Hydrobromide
116. Clarithromycin
117. Clavulanic Acid
118. Clidinium Bromide
119. Clindamycin
120. Clobazam
121. Clobetasol Propenate
122. Clobetasone 17-Butyrate
123. [1113][***]
124. Clofibrate
125. Clonazepam
126. Clonidine Hydrochloride
127. Clopamide
128. Clopidogre! Bisulphate
129. Clostebol Acetate
130. Clotrimazole
131. Clozapine
132. [1113][***]
133. Colchicine
134. Corticosteroids
135. Cotrimoxazole
136. Cyclandelate
137. Cyclosporins
155. Dinoprostone
156. [1114][***]
157. Dipivefrin Hydrochloride
158. Di-sodium Pamidronate
159. Disopyramide
160. Docetaxel
161. Domperidone
162. Donepezil Hydrochloride
163. Dopamine Hydrochloride
164. Dothiepin Hydrochloride
165. Doxapram Hydrochloride
166. Doxazosin Mesylate
167. Doxepin Hydrochloride
168. Doxorubicin Hydrochloride
169. Drotrecogin-Alpha
170. Ebastine
171. Econozole
172. Efavirenz
173. Enalapril Meleate
174. Enfenamic Acid
175. Epinephrine
176. Epirubicine
177. Eptifibatide
178. Ergot, Alkaloids of whether Hydrogenated or not, their Homologoues, Salts

179. Esomeprazole
180. Estradiol Succinate
181. Estramustine Phosphate
182. Etanercept
183. Ethacridine Lactate
184. [1115][***]
185. Ethamsylate
186. Ethinyloestradiol
187. [1115][***]
188. Etidronate Disodium
189. Etodolac
190. Etomidate
191. Etoposide
192. Exemestane
193. Famciclovir
194. Famotidine
195. Fenbendazole
196. Fenofibrate
197. Fexofenadine
198. Finasteride
199. Flavoxate Hydrochloride
200. 5-Fluorouracil
201. Fludarabine
202. Flufenamic Acids
203. Flunarizine Hydrochloride
204. Fluoxetine Hydrochloride
205. Flupenthixol
206. Fluphenazine Enanthate and Decanoate
207. Flurazepam
208. Flurbiprofen
209. Flutamide
210. Fluticasone Propionate
211. Fluvoxamine Maleate
212. Formestane
213. Fosfestril Sodium
214. Fosinopril Sodium
215. Fossphenytoin Sodium
216. Fotemustine
217. Gabapentin
218. Galanthamine Hydrobromide
219. Gallamine, its Salts, its Quaternary Compound
220. Gancyclovir
221. Ganirelix
222. Gatifloxacin
223. Gemcitabine
224. Gemfibrozil
225. Gemtuzumab
226. Genodeoxycholic Acid
227. Gliclazide
228. Glimepiride
229. Glucagon
230. Glycopyrrolate
231. Glydiazinamide
232. Goserelin Acetate
233. Granisetron
234. Guanethidine
235. Gugulipid
236. Halogenated Hydroxyquinolines
237. Haloperidol
238. Heparin
239. Hepatitis B. Vaccine
240. Hyaluronidase
241. Hydrocorisone 17-Butyrate
242. Hydrotalcite
243. Hydroxizine
244. Ibuprofen
245. Idebenone
246. Iindapamide
247. Imipramine
248. Indinavir Sulphate
249. Indomethacin
250. Insulin Human
251. Interferon
252. Intravenous Fat Emulsion
253. Iobitridol
254. Iohexol
255. Iopamidol
256. Iomeprol
257. Iopromide
258. Irbesartan
259. Irinotecan Hydrochloride
260. Iron Preparation for Parenteral use
261. Isepamicine
262. Isocarboxside
263. Isoflurane

264. Isonicotnic Acid Hydrazine and other Hydragine Derivatives of Isonicotinic Acid
265. Isosorbide Dinitrate/Mononitrate
266. Isotretinoin
267. Isoxsuprine
268. Itopride
269. [1116][***]
270. Ketoconazole
271. Ketoprofen
272. Ketorolac Tromethamine
273. Labetalol Hydrochloride
274. Lacidipine
275. Lamivudine
276. Lamotrigine
277. Latanoprost
278. Lefunomide
279. Lercanidipine Hydrochloride
280. Letrozole
281. Leuprolide Acetate
282. Levamesole
283. Levarterenol
284. Levobunolol
285. Levocetirizine
286. Levodopa
287. [1115][***]
288. Levovist
289. Lidoflazine
290. Linezplid
291. Lithium Carbonate
292. Lofepramine Decanoate
293. Loperamide
294. Lorazepam
295. Losartan Potassium
296. Loteprednol
297. Lovastatin
298. Loxapine
299. Mebendazole
300. Mebeverine Hydrochloride
301. Medroxy Progesterone Acetate
302. Mefenamic Acid
303. Mefloquine Hydrochloride
304. Megestrol Acetate
305. Meglumine Iocarmate
306. Melagenina
307. Melitracen Hydrochloride
308. Meloxicam
309. Mephenesin, its Esters
310. Mephentermine
311. [1117][***]
312. Mesterolone
313. Metaxalone
314. Methicillin Sodium
315. Methocarbamol
316. Methotraxate
317. Metoclopramide
318. Metoprolol Tartrate
319. Metrizamide
320. Metronidazole
321. Mexiletine Hydrochloride
322. Mianserin Hydrochloride
323. Miconazole
324. [1117][***]
325. Mifepristone
326. Milrinone Lactate
327. Miltefosine
328. Minocycline
329. Minoxidil
330. Mirtazapine
331. Misoprostol
332. Mitoxantrone Hydrochloride
333. Mizolastine
334. Moclobemide
335. Mometasone Furoate
336. Monteiukast Sodium
337. Morphazinamide Hydrochloride
338. Mosapride
339. [1117][***]
340. Mycophenolate Mofetil
341. Nadifloxacin
342. Nadolol
343. Nafarelin Acetate
344. Nalidixic Acid
345. Naproxen
346. Narcotic Drugs listed in Narcotic Drugs & Psychotropic Substances Act, 1985
347. Natamycin

348. Nateglinide
349. N-butyI-2-cyanoacrylate
350. Nebivolol
351. Nebumetone
352. Nelfinavir Mesilate
353. Netilmicin Sulphate
354. Nevirapine
355. Nicergoline
356. Nicorandil
357. Nifedipine
358. Nimesulide
359. Nimustine Hydrochloride
360. [1117][***]
361. Nitroglycerin
362. Noreth Isterone Enanthate
363. Norfloxacin
364. Octylonium Biomiae
365. Ofloxacin
366. Olanzapine
367. Omeprazole
368. Omidazole
369. Orphenadrine
370. Orthoclone Sterile
371. Oxazepam
372. Oxazolidine
373. Oxcarbazepine
374. Oxethazaine Hydrochlorid
375. Oxiconazole
376. Oxolinic Acid
377. Oxprenolol Hydrochloride
378. Oxybutynin Chloride
379. Oxyfedrine
380. Oxymetazoline
381. Oxyphenbutazone
382. [1118][***]
383. Ozothine
384. Paclitaxel
385. Pancuronium Bromide
386. Pantopiazole
387. Para-Amino Benzene Sulphonamide, its Salts & Derivatives
388. Parp-Amino Salicylic Acid, its Salts, its Derivatives
389. Parecoxib
390. Paroxetine Hydrochloride
391. D-Penicillamine
392. [1117][***]
393. Pentoxifylline
394. Pepleomycin
395. Phenelzineh Sulphate
396. Phenobarbital
397. Phenothiazine, Derivatives of and Salts of its Derivatives
398. Phenylbutazine
399. Pimozide
400. Pindolol
401. Pioglitazone Hydrochloride
402. Piracetam
403. Piroxicam
404. Pituitary Gland, Active Principles of, not otherwise specified in this Schedule and their Salts
405. Polidocanol
406. Polyestradiol Phosphate
407. Poractant Alfa
408. Praziquantel
409. Pred nimustine
410. Prednisolone Stearoylglycoiate
411. Prenoxdiazin Hydrochloride
412. Promazine Hydrochloride
413. Promegestone
414. Propafenon Hydrochloride
415. Propanolol Hydrochloride
416. Propofol
417. Protristyline Hydrochloride
418. [1117][***]
419. Pyrvinium
420. Quetiapine Fumerate
421. Quinapril
422. Quiniaine Sulphate
423. Rabeprazole
424. Racecadotril
425. Raloxifene Hydrochloride
426. Ramipril Hydrochloride
427. Ranitidine

428. Rauwolfia, Alkaloids of, their Salts, Derivatives of the Alkaloids or Rauwolfia
429. Reboxetine
430. Repaglinide
431. Reproterol Hydrochloride
432. Rilmenidine
433. Riluzone
434. Risperidone
435. Ritonavir
436. Ritodrine hydrochloride
437. Rituximab
438. Rivastigmine
439. Rocuronium bromide
440. Ropinirole
441. Rosoxacin.
442. Rosiglitazone meleate
443. Salbutamol sulphate
444. Salicyl-azo-sulphapyridine
445. Salmon calcitonin
446. Saquinavir
447. Satranidazole
448. Secnidazole
449. Septopal beads & chains
450. Serratiopeptidase
451. Sertraline hydrochloride
452. Sibutramine hydrochloride
453. Sildenafil citrate
454. Simvastatin
455. Sirolimus
456. Sisomicin sulphate
457. S-neominophagen
458. Sodiumpico sulphate
459. Sodium cromoglycate
460. Sodium hyaluronate
461. Sodium valproate
462. Sodium and maglumine iothalamates
463. Somatostatin
464. Somatotropin
465. Sotalol
466. [1119][***]
467. Spectinomycin hydrochloride
468. Spironolactone

469. Stavudine
470. Sucralfate
471. Sulphadoxine
472. Sulphamethoxine
473. Sulphamethoxypyridazine
474. Sulphaphenazole
475. Sulpiride
476. Sulprostone hydrochloride
477. Sumatriptan
478. Tacrine hydrochloride
479. Tamsulosin hydrochloride
480. Trapidil
481. Tegaserod maleate
482. Teicoplanin
483. Telmisartan
484. Temozolamide
485. Terazosin
486. Terbutaline sulphate
487. Terfenadine
488. Terizidone
489. Terlipressin
490. Testosteroneun decoanoate
491. Teratolol hydrochloride
492. Thalidomide
493. [1119][***]
494. Thiocolchicoside
495. Thiopropazate, its salts
496. Thymogene
497. Thymosin-alpha1
498. Tiaprofenic acid
499. Tibolone
500. Timolol maleate
501. Tinidazole
502. Tizanidine
503. Tabramycin
504. Tolfenamic acid
505. Topiramate
506. Topotecan hydrochloride
507. [1119][***]
508. Tranexamic acid
509. Tranylcypromine, its salts
510. Trazodone
511. Tretinoin
512. Trifluperazine

513. Trifluperidol hydrochloride
514. Triflusal
515. Trimetazidine dihydrochloride
516. Trimipramine
517. Tripotassium dicitrate bismuthate
518. Tromantadine hydrochloride
519. Urokinase
520. Valsartan
521. Vasopressin
522. Vecuronium bromide
523. Venlafaxine hydrochloride
524. Verapamil hydrochloride
525. Verteporfin
526. Vincristine sulphate
527. Vinblastine sulphate
528. Vindesine sulphate
529. Vinorelbine tatrate
530. Xipamide
531. Zidovudine hydrochloride
532. Ziprasidone hydrochloride
533. Zoledronic acid
534. [1119][***]
535. Zopiclone
536. Zuclopenthixol
[1120][537.Etizolam]
[1121][538.Alclometasone

539.Beclomethasone
540.Betamethasone
541.Desonide
542.Desoximetasone
543.Dexamethasone
544.Diflorasone diacetate
545.Fluocinonide
546.Huocinolone acetonide
547.Halobetasol propionate
548.Halometasone
549.Methylprednisone
550.Prednicarbate
551.Triamcinolone acetonide] [1336][552. Acitretin]

Note: —1. Preparations exempted under proviso to para 2 of Note to Schedule X shall also be covered by this Schedule.

2. The salts, esters, derivatives and preparations containing the above substances excluding those intended for topical or external use (except ophthalmic and ear/nose preparations containing antibiotics and/or steroids) are also covered by this Schedule.

3. The inclusion of a substance in this Schedule does not imply or convey that the substance is exempted from the provisions of Rule 122A/122B.]

[1122][4. The salts, esters, derivatives and preparations containing [1123][steroids or Hydroquinone] for topical or external use shall also be covered under this Schedule.

[1124][5. Notwithstanding anything contained in these rules, the provisions of rule 65 and rule 97 in respect or drugs specified from serial number 538 to serial number 551 inserted *vide* Notification number G.S.R. 277(E), dated 23rd March, 2018 published in the Gazette of India, Extraordinary, Part II, Section

(3), Sub-section (i) shall be on voluntary basis for a period commencing on the day on which this notification shall come into force and ending on the 31st March, 2019 and thereafter shall be mandatory.]

[1125]*[SCHEDULE H1*

(See rules 65 and 97)

1. Alprazolam
2. Balofloxacin
3. Buprenorphine
4. Capreomycin
5. Cerdinir
6. Cefditoren
7. Cefepime
8. Cefetamet
9. Cefixime
10. Cefoperazone
11. Cefotaxime
12. Cefpirome
13. Cefpodoxime
14. Ceftazidime
15. Ceftibuten
16. Ceftizoxime
17. Ceftriaxone
18. Chlordiazepoxide
19. Clofazimine
20. Codeine
21. Cycloserine
22. Diazepam
23. Diphenoxylate
24. Doripenem

25. Ertapenem
26. Ethambutol Hydrochloride
27. Ethionamide
28. Feropenem
29. Gemifloxacin
30. Imipenem
31. lsoniazid
32. Levofloxacin
33. Meropenem
34. Midazolam
35. Moxifloxacin
36. Nitrazepam
37. Pentazocine
38. Prulifloxacin
39. Pyrazinamide
40. Rifabutin
41. Rifampicin
42. SodiumPara-aminosalicylate
43. Sparfloxacin
44. Tniacetazone
45. Tramadol
46. Zolpidem

[1126][47. Oxytocin]

[1127][48. Tapentadol]

[1341]["49. Oseltamivir

50. Zanamivir"]

[1339][SCHEDULE H2

[See sub-rules (6) and (7) of rule 96]

S No.	*Brand name of the formulation*
1.	ACILOC 150 MG TABLET 30
2.	ACILOC 300 MG TABLET 20
3.	ACTEMRA 400 MG INJECTION 1
4.	ACTRAPID HUMAN 40 IU INJECTION 10 ML
5.	AEROCORT WITH DOSE COUNTER 50/50 MCG INHALER 200 MDI
6.	AJADUO 25/5 MG TABLET 10
7.	ALLEGRA 120 MG TABLET 10
8.	ALLEGRA 180 MG TABLET 10
9.	AMBISOME 50 MG INJECTION 20 ML
10.	AMICIN 500 MG INJECTION 2 ML

S No.	*Brand name of the formulation*
11.	AMLOKIND-AT 50/5 MG TABLET 10
12.	ASCORIL D PLUS NEW 5/2/10 MG SYRUP 100 ML
13.	ASCORIL LS 1/30/50 MG SYRUP 100 ML
14.	ASCORIL PLUS 50/1.25/2 MG EXPECTORANT 120 ML
15.	ASTHAKIND DX 5/2/15 MG SYRUP 100 ML
16.	ASTHALIN 100 MCG INHALER 200 MDI
17.	AUGMENTIN DUO 500/125 MG TABLET 10
18.	AVOMINE 25 MG TABLET 10
19.	AXCER 90 MG TABLET 14
20.	AZEE 500 MG TABLET 5
21.	AZITHRAL 500 MG TABLET 5
22.	BECOSULES CAPSULE 20
23.	BECOSULES Z CAPSULE 20
24.	BETADINE 10 % OINTMENT 20 GM
25.	BETADINE 10 % SOLUTION 100 ML
26.	BETADINE MINT 2 % GARGLE 100 ML
27.	BETNESOL 0.5 MG TABLET 20
28.	BETNOVATE C 0.1/3 % CREAM 30 GM
29.	BETNOVATE N 0.1/0.5 % CREAM 20 GM
30.	BETNOVATE N 0.1/0.5 % CREAM 25 GM
31.	BETT 0.5 ML INJECTION 0.5 ML
32.	BEVON SYRUP 200 ML
33.	BIO D3 MAX 500 MG/0.25MCG/400MCG/120MG CAPSULE 15

34. BRILINTA 90 MG TABLET 14
35. BRO ZEDEX 50/1.25/4 MG SYRUP 100 ML
36. BUDECORT 0.5 MG RESPULES 2 ML
37. CALCIROL 60000 IU GRANULES 1 GM
38. CALDIKIND PLUS 500 MG/0.25MCG/400MCG/60MG CAPSULE 10
39. CALPOL 500 MG TABLET 15
40. CALPOL 650 MG TABLET 15
41. CALPOL PEAD 250 MG SUSPENSION 60 ML
42. CANDIFORCE 200 MG CAPSULE 7
43. CCM 250 MG TABLET 40
44. CEFAKIND 500 MG TABLET 10
45. CEFTUM 500 MG TABLET 4
46. CEPODEM 200 MG TABLET 10
47. CHYMORAL FORTE 100000 IU TABLET 20
48. CIDMUS 24/26 MG TABLET 14
49. CILACAR 10 MG TABLET 15
50. CIPREMI 100 MG INJECTION 1
51. CLARIBID 500 MG TABLET 10
52. CLAVAM 500/125 MG TABLET 10
53. CLEXANE 40 MG INJECTION 0.4 ML

S No.	*Brand name of the formulation*
54.	CLEXANE 60 MG INJECTION 0.6 ML
55.	COBADEX CZS TABLET 15
56.	CODISTAR 4/10 MG SYRUP 100 ML
57.	COMBIFLAM 400/325 MG TABLET 20
58.	CONCOR 5 MG TABLET 10
59.	COREX DX 4/10 MG SYRUP 100 ML
60.	CREMAFFIN PLUS SF 1.25 ML/3.75ML/3.33MG LIQUID 225 ML
61.	CYPON 275/2 MG SYRUP 200 ML
62.	CYRA D 30/20 MG TABLET SR 10
63.	DALACIN C 300 MG CAPSULE 10
64.	DECA DURABOLIN 50 MG INJECTION 1
65.	DEFCORT 6 MG TABLET 10
66.	DERIPHYLLIN 25.3/84.7 MG INJECTION 2 ML
67.	DEROBIN 1.15/1.15/5.3 % OINTMENT 30 GM
68.	DEXONA (VIAL) 4 MG INJECTION 2 ML
69.	DEXORANGE 160 MG/0.5MG/7.5MCG SYRUP 200 ML
70.	DOLO 650 MG TABLET 15
71.	DOLONEX 20 MG TABLET DT 15
72.	DOXINATE 10/10 MG TABLET 30
73.	DOXT SL 100 MG/5BIU CAPSULE 10
74.	DOXY 1 FORTE L DR 100 MG/5BIU CAPSULE 10
75.	DULCOFLEX 5 MG TABLET 10
76.	DUOLIN 3 1.25 MG/500MCG RESPULES 3 ML
77.	DUPHASTON 10 MG TABLET 10
78.	DYDROBOON 10 MG TABLET 10
79.	DYNAPAR AQ 75 MG INJECTION 1 ML
80.	EASY SIX PREFILLED SYRINGE 0.5 ML
81.	ECOSPRIN AV 10/75 MG CAPSULE 15
82.	ECOSPRIN GOLD 75/20/75 MG TABLET 15
83.	ELAXIM 40 MG INJECTION 1
84.	ELECTRAL SACHET 21.8 GM
85.	ELIQUIS 2.5 MG TABLET 10
86.	ELIQUIS 5 MG TABLET 10
87.	ELTROXIN 100 MCG TABLET 120
88.	ENTEROGERMINA 2 BIU ORAL SUSPENSION 5 ML
89.	EXHEP 40 MG PREFILLED SYRINGE 0.4 ML
90.	FABIFLU 200 MG TABLET 34
91.	FABIFLU 400 MG TABLET 17
92.	FABIFLU COPACK 800 MG TABLET 18
93.	FARONEM 200 MG TABLET 10
94.	FARONEM 300 MG TABLET ER 10
95.	FORACORT 20/500 MCG RESPULES 2 ML
96.	FORACORT 6/200 MCG ROTACAP 30

S No.	*Brand name of the formulation*
97.	FORACORT 6/400 MCG ROTACAP 30
98.	FORXIGA 10 MG TABLET 14
99.	GABAPIN NT 400/10 MG TABLET 15
100.	GALVUS 50 MG TABLET 15
101.	GALVUS MET 50/1000 MG TABLET 15
102.	GALVUS MET 50/500 MG TABLET 15
103.	GEFTINAT 250 MG TABLET 30
104.	GELUSIL MPS 250/50/250 MG LIQUID 200 ML
105.	GEMCAL 500 MG/0.25MCG/7.5MG CAPSULE 15
106.	GEMER 2/500 MG TABLET 10
107.	GIBTULIO 25 MG TABLET 10
108.	GLUCONORM-G 2/500 MG TABLET 15
109.	GLYCOMET GP 1/500 MG TABLET 15
110.	GLYCOMET GP 2/500 MG TABLET SR 15
111.	GLYNASE MF 5/500 MG TABLET 10
112.	GLYXAMBI 25/5 MG TABLET 10
113.	GRILINCTUS 60/2.5/5/50 MG SYRUP 100 ML
114.	GUDCEF 200 MG TABLET 10
115.	GUDCEF CV 200/125 MG TABLET 10
116.	HCQS 200 MG TABLET 15
117.	HEXAXIM INJECTION 0.5 ML
118.	HUCOG HP 5000 IU INJECTION 1 ML
119.	HUMINSULIN 30/70 100 IU CARTRIDGE 3 ML
120.	INFANRIX HEXA INJECTION 0.5 ML
121.	ISTAMET 50/500 MG TABLET 15
122.	IVABRAD 5 MG TABLET 15
123.	IVERMECTOL NEW 12 MG TABLET 2
124.	JALRA M 50/500 MG TABLET 15
125.	JANUMET 50/1000 MG TABLET 15
126.	JANUMET 50/500 MG TABLET 15
127.	JANUVIA 100 MG TABLET 7
128.	JARDIANCE 10 MG TABLET 10
129.	JARDIANCE 25 MG TABLET 10
130.	KABIMOL 1000 MG INFUSION 100 ML
131.	KARVOL PLUS CAPSULE 10
132.	KENACORT 40 MG INJECTION 1 ML
133.	KETOROL 10 MG TABLET DT 15
134.	KETOSTERIL TABLET 20
135.	LANTUS 100 IU CARTRIDGE 3 ML
136.	LANTUS SOLOSTAR 100 IU DISPOSABLE PEN 3 ML
137.	LEVERA 500 MG TABLET 15
138.	LEVIPIL 500 MG TABLET 10
139.	LIBRAX 2.5/5 MG TABLET 20

S No.	*Brand name of the formulation*
140.	LIMCEE CHEW ORANGE 500 MG TABLET 15
141.	LIPAGLYN 4 MG TABLET 10
142.	LMWX 40 MG INJECTION 0.4 ML
143.	LOBATE GM NEO 0.05/0.5/2 % CREAM 15 GM
144.	LONOPIN 40 MG INJECTION 0.4 ML
145.	LOSAR 50 MG TABLET 15
146.	LOSAR H 50/12.5 MG TABLET 15
147.	MACBERY XT 50/1.25/4 MG SYRUP 100 ML
148.	MAGNEX FORTE 1000/500 MG INJECTION 1
149.	MANFORCE 100 MG TABLET 4
150.	MANFORCE 50 MG TABLET 9
151.	MAXTRA 5/2 MG SYRUP 60 ML
152.	MEFTAL SPAS 10/250 MG TABLET 10
153.	MEGALIS 20 MG TABLET 4
154.	MEGANEURON OD PLUS 1500 MCG CAPSULE 10
155.	MENACTRA INJECTION 0.5 ML
156.	MERO 1000 MG INJECTION 1
157.	MEROMAC 1000 MG INJECTION 1
158.	MERONEM 1000 MG INJECTION 1
159.	MEROZA 1000 MG INJECTION 1 ML
160.	MIFEGEST KIT 200 MG/200MCG TABLET 1
161.	MIKACIN 500 MG INJECTION 2 ML
162.	MINIPRESS XL 5 MG TABLET XL 30
163.	MIXTARD HM PENFILL 30/70 100 IU INJECTION 3 ML
164.	MIXTARD HUMAN 30/70 40 IU INJECTION 10 ML
165.	MIXTARD HUMAN 50/50 40 IU INJECTION 10 ML
166.	MONOCEF 1000 MG INJECTION 5 ML
167.	MONOCEF O 200 MG TABLET 10
168.	MONOCEF SB 1000/500 MG INJECTION 1
169.	MONTAIR LC 10/5 MG TABLET 15
170.	MONTAZ 1000/125 MG INJECTION 1
171.	MONTEK-LC 10/5 MG TABLET 10
172.	MONTICOPE 10/5 MG TABLET 10
173.	MOX 500 MG CAPSULE 15
174.	MOX CV 500/125 MG TABLET 10
175.	MOXCLAV 500/125 MG TABLET 10
176.	MOXIKIND CV 500/125 MG TABLET 10
177.	MUCAINE MINT 10/291/98 MG GEL 200 ML
178.	MUCINAC SF ORANGE 600 MG TABLET 10
179.	NEBICARD 5 MG TABLET 10
180.	NEFROSAVE 150/500 MG TABLET 15
181.	NEUROBION FORTE TABLET 30
182.	NEXPRO 40 MG TABLET 15

S No.	*Brand name of the formulation*
183.	NEXPRO RD 30/40 MG CAPSULE 10
184.	NIKORAN 5 MG TABLET 20
185.	NISE 100 MG TABLET 15
186.	NITROCONTIN 2.6 MG TABLET CR 30
187.	NOVOMIX 100 IU CARTRIDGE 3 ML
188.	NOVOMIX 30/70 MG FLEXPEN 3 ML
189.	NOVORAPID 100 IU CARTRIDGE 3 ML
190.	NUROKIND LC 500 MG/1.5MG/1500MCG TABLET 15
191.	NUROKIND PLUS RF 1500 MCG CAPSULE 10
192.	O2 200/500 MG TABLET 10
193.	OMEZ 20 MG CAPSULE 20
194.	OMEZ D 30/20 MG CAPSULE SR 15
195.	OMNIKACIN 500 MG INJECTION 2 ML
196.	ONDERO 5 MG TABLET 10
197.	ONDERO MET 2.5/500 MG TABLET 10
198.	OROFER FCM INJECTION 10 ML
199.	OROFER-XT 100/1.5 MG TABLET 10
200.	OROFER-XT PLUS 30 MG/500MCG/500MCG SUSPENSION 200 ML
201.	OTRIVIN OXY FAST RELIEF 0.05 % SPRAY 10 ML
202.	OVRAL L 0.03/0.15 MG TABLET 21
203.	OXRA 10 MG TABLET 14
204.	PAN 40 MG TABLET 15
205.	PAN D 30/40 MG CAPSULE 15
206.	PANDERM PLUS PLUS 0.05/0.5/2 % CREAM 15 GM
207.	PANTIN IV 40 MG INJECTION 10 ML
208.	PANTOCID 40 MG TABLET 15
209.	PANTOCID DSR 30/40 MG CAPSULE 15
210.	PANTODAC 40 MG TABLET 15
211.	PANTODAC DSR 30/40 MG CAPSULE 15
212.	PANTOP 40 MG INJECTION 10 ML
213.	PANTOP 40 MG TABLET 15
214.	PANTOP D 10/20 MG CAPSULE 10
215.	PANTOP D SR 30/40 MG CAPSULE SR 10
216.	PHENSEDYL COUGH LINCTUS 4/10 MG SYRUP 100 ML
217.	PIPZO 4000/500 MG INJECTION 10 ML
218.	PRACTIN 4 MG TABLET 10
219.	PREGA NEWS KIT 6
220.	PREVENAR 13 INJECTION 0.5 ML
221.	R.B TONE SYRUP 200 ML
222.	RABLET-D 30/20 MG CAPSULE 10
223.	RANTAC 150 MG TABLET 30
224.	RAZO 20 MG TABLET 15
225.	RAZO D 30/20 MG TABLET 15

S No.	*Brand name of the formulation*
226.	REFRESH TEARS 0.5 % EYE DROPS 10 ML
227.	REJUNEX-CD3 TABLET 10
228.	REMDAC 100 MG INJECTION 1
229.	ROSUVAS 10 MG TABLET 15
230.	ROSUVAS 20 MG TABLET 10
231.	RYZODEG 2.56/1.05 MG PENFILL 3 ML
232.	SARIDON 250/50/150 MG TABLET 10
233.	SEROFLO 50/250 MCG ROTACAP 30
234.	SHELCAL 500 MG/250IU TABLET 15
235.	SHELCAL XT 500 MG/2000IU/1500MCG/1MG/20MG TABLET 15
236.	SILODAL 8 MG TABLET 10
237.	SILODAL D 8/0.5 MG TABLET 10
238.	SINAREST 125/5/1 MG SYRUP 60 ML
239.	SINAREST NEW 500/10/2 MG TABLET 10
240.	SINAREST NEW 500/10/2 MG TABLET 15
241.	SKINLITE 2/0.1/0.025 % CREAM 25 GM
242.	SOMPRAZ D 30/40 MG CAPSULE 15
243.	SPASMO PROXYVON PLUS 10/325/50 MG CAPSULE 8
244.	SPEGRA 50/200/25 MG TABLET 30
245.	STAMLO 5 MG TABLET 30
246.	STAMLO BETA 50/5 MG TABLET 15
247.	STEMETIL 5 MG TABLET MD 15
248.	SUCRAFIL O 1000/20 MG GEL 200 ML
249.	SUMO 100/325 MG TABLET 15
250.	SUMO L IV 1000 MG INFUSION 100 ML
251.	SUPRADYN TABLET 15
252.	SYNFLORIX INJECTION 1
253.	T BACT 2 % OINTMENT 15 GM
254.	T BACT 2 % OINTMENT 5 GM
255.	TARGOCID 400 MG INJECTION 1 ML
256.	TAXIM O 200 MG TABLET 10
257.	TAZOMAC 4000/500 MG INJECTION 2 ML
258.	TELEKAST-L 10/5 MG TABLET 15
259.	TELMA 40 MG TABLET 30
260.	TELMA AM 40/5 MG TABLET 15
261.	TELMA H 40/12.5 MG TABLET 15
262.	TELMIKIND 40 MG TABLET 10
263.	TELMIKIND AM 40/5 MG TABLET 10
264.	TELMIKIND H 40/12.5 MG TABLET 10

265. THROMBOPHOB OINTMENT 20 GM
266. THYRONORM 100 MCG TABLET 120
267. THYRONORM 25 MCG TABLET 120
268. THYRONORM 50 MCG TABLET 120
269. TOSSE X NEW 4/10 MG SYRUP 100 ML
270. TRAJE NTA 5 MG TABLET 10
271. TRESI BA FLEXTOUCH 100 IU DISPOSABLE PEN 3 ML
272. TUSQ DX 5/2/15 MG SYRUP 100 ML
273. UDILI V 150 MG TABLET 15
274. UDILI V 300 MG TABLET 15
275. ULTRA CET 325/37.5 MG TABLET 15
276. UNIEN ZYME TABLET 15
277. UNWA NTED 72 1.5 MG TABLET 1
278. UNWA NTED KIT 200 MG/200MCG TABLET 1
279. UPRIS E D3 60000 IU CAPSULE 8
280. URIMA X 0.4 MG CAPSULE 20
281. URIMA X D 0.4/0.5 MG TABLET 15
282. URSOC OL 300 MG TABLET 15
283. VARIL RIX INJECTION 0.5 ML
284. VELOZ D 30/20 MG CAPSULE SR 10
285. VELPA NAT 400/100 MG TABLET 28
286. VERTI N 16 MG TABLET 15
287. VOLIN I 1.16 % SPRAY 40 GM
288. VORIE R 200 MG TABLET 4
289. VOVE RAN SR 100 MG TABLET SR 15
290. VYMA DA 24/26 MG TABLET 14
291. WYSO LONE 10 MG TABLET DT 15
292. WYSO LONE 5 MG TABLET DT 15
293. XONE 1000 MG INJECTION 5 ML
294. ZAVIC EFTA 2000/500 MG VIAL 10 ML
295. ZEDEX 4/5/50 MG SYRUP 100 ML
296. ZEROD OL P 100/325 MG TABLET 10
297. ZEROD OL SP 100/325/15 MG TABLET 10
298. ZIFI 20 0 MG TABLET 10
299. ZORY L-M 2/500 MG TABLET 20
300. ZOSTU M 1000/500 MG INJECTION 1.

[SCHEDULE X]

(See rules 23, 61, 75, 97 and 105A)

1. Amobarbital
2. Glutethimide
3. Pentobarbital
4. Ketamine hydrochloride
5. Amphetamine
6. Meprobamate
7. Phencyclidine
8. Barbital
9. Methamphetamine
10. Phenometrazine
11. Cyclobarbital
12. Dexamphetamine
13. Methylphenidate
14. Secobarbital
15. Ethclorvynol
16. Methylphenobarbital

Notes:-

1. Any stereiosometric form of the substance specified in this Schedule, any salt of the substance and preparation containing such substances are also Covered by this Schedule.

2. Preparations containing the above substances are also covered by this Schedule:
   Provided, however, preparations containing Meprobamate in combination with other drugs may be exempted by the Licensing Authority specified in clause (b) of rule 21, from the provisions of this Schedule, if

satisfactory evidence is adduced that these preparations are not liable to be misused.